



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/069,134	05/06/2002	Erkki Miettinen	66411-065-2	1684
7590	09/20/2005			EXAMINER
Dykema Gossett Suite 300 West 1300 I Street N W Washington, DC 20005-3306			SQUIRES, BRETT S	
			ART UNIT	PAPER NUMBER
			2836	

DATE MAILED: 09/20/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

AK

<b>Office Action Summary</b>	Application No.	Applicant(s)
	10/069,134	MIETTINEN, ERKKI
	Examiner Brett S. Squires	Art Unit 2836

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

#### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

1) Responsive to communication(s) filed on 06 May 2002.  
 2a) This action is FINAL.                            2b) This action is non-final.  
 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

4) Claim(s) 1 and 2 is/are pending in the application.  
 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.  
 5) Claim(s) \_\_\_\_\_ is/are allowed.  
 6) Claim(s) 1 and 2 is/are rejected.  
 7) Claim(s) \_\_\_\_\_ is/are objected to.  
 8) Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

#### Application Papers

9) The specification is objected to by the Examiner.  
 10) The drawing(s) filed on 06 May 2002 is/are: a) accepted or b) objected to by the Examiner.  
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  
 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
 a) All    b) Some \* c) None of:  
 1. Certified copies of the priority documents have been received.  
 2. Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.  
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

1) Notice of References Cited (PTO-892)  
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  
 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
 Paper No(s)/Mail Date 02/22/02.

4) Interview Summary (PTO-413)  
 Paper No(s)/Mail Date. \_\_\_\_\_.  
 5) Notice of Informal Patent Application (PTO-152)  
 6) Other: \_\_\_\_\_.

***Claim Rejections - 35 USC § 112***

1. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
2. Claims 1 and 2 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
3. The term "particularly" in claim 1 is a relative term, which renders the claim indefinite. The term "particularly" is not defined by the claim, the specification does not provide a standard for ascertaining the requisite degree, and one of ordinary skill in the art would not be reasonably apprised of the scope of the invention.

***Claim Rejections - 35 USC § 102***

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –  
(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
5. Claims 1 and 2 are rejected under 35 U.S.C. 102(b) as being anticipated by Inou (US 4,685,039).

Inou discloses a DC/DC converter having at least two intermediate circuit capacitors connected in series over intermediate circuit voltage ("Capacitors" figure 3

ref# C<sub>11</sub> and C<sub>12</sub>), capacitor-specific freely oscillating inverter (“Transistors” and “Transformers” figure 3 ref# Q<sub>1</sub>,T<sub>1</sub> and Q<sub>2</sub>,T<sub>2</sub>), the input poles of which are connected in parallel with the capacitor corresponding to the inverter and the output poles of which are connected in parallel to provide a voltage source (figure 3).

6. Claims 1 and 2 are rejected under 35 U.S.C. 102(b) as being anticipated by Luettich (DE 2819676 A1).

Luettich discloses a DC/DC converter having at least two intermediate circuit capacitors connected in series over intermediate circuit voltage (“Capacitors” figure 1-3 ref# C1-C7), capacitor-specific freely oscillating inverter (“Switching Transistors” figure 1-3 ref# T1-T6 and “Transformer Windings” figure 1 ref# 5,6,7,8,10, figure 2 ref# 16,19,22,23, figure 3 ref#16,19,22,23), the input poles of which are connected in parallel with the capacitor corresponding to the inverter and the output poles of which are connected in parallel to provide a voltage source (figures 1-3).

### ***Conclusion***

7. The prior art made of record and not relied upon is considered pertinent to the applicant’s disclosure. Additional prior art of interest includes but is not limited to the following US Patents and Publications, Foreign Patents and Publications and Non-patent Literature: Perkins (US 4,062,057).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brett S. Squires whose telephone number is (571)272-2268. The examiner can normally be reached on 9am-5:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Sircus can be reached on (571)272-2800 x 36. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Brett S Squires  
Examiner  
Art Unit 2836



BRIAN SIRCUS  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2800